	Application No.	Applicant(s)
	10/058,543	AL-KOFAHI ET AL.
Notice of Allowability	Examiner	Art Unit
	John B. Strege	2625
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 12/22/05.		
2. The allowed claim(s) is/are <u>1-12 and 14-25</u> .		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08) 	6. ⊠ Interview Summary (Paper No./Mail Date 8), 7. ⊠ Examiner's Amendm	e <u>3/15/06</u> .
Paper No./Mail Date	<u>_</u>	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material		nt of Reasons for Allowance
	9.	

Application/Control Number: 10/058,543 Page 2

Art Unit: 2625

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jacques Etkowicz Reg#41,738 on 3/15/06.

IN THE CLAIMS:

In **Claim 24** delete on line 8 "at least one of i)", and delete on lines 10-11 "and/or ii) comparing the edge intensity along the line structure to the edge intensities along different directions at the same boundary points".

Cancel claims 26-28.

This amendment was made in order to advance the prosecution since the limitations contained USC 112 problems as well as would have required a USC 103 rejection.

Response to Amendment

The amendment received 12/22/05 has been entered in full. Due to the amendment the application is now in condition for allowance.

Allowable Subject Matter

Claims 1-25 are allowed.

The following is an examiner's statement of reasons for allowance: Claims 17-22 and 25 were allowed in the previous office action. Claims 11, and 13-15 were objected

Application/Control Number: 10/058,543

Art Unit: 2625

to as containing subject matter that would be allowable if rewritten in independent form.

As claim 13 has been incorporated into claims 1,23, and 24 these claims are allowable.

Furthermore claim 11 has been rewritten in independent format these claims are now

allowable. The remaining claims are dependent claims and thus are allowable as well.

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John B. Strege whose telephone number is (571) 272-7457. The examiner can normally be reached on Monday-Friday between the hours of 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Bhavesh Mehta can be reached on (571) 272-7453. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/058,543

Art Unit: 2625

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JS

BHAVESH M. MEHTA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600